

Cranial/Cervical Orthoses

- L0112 – Cranial cervical orthosis, congenital torticollis type, with or without soft interface material, adjustable range of motion joint, custom fabricated
- * S1040 – Cranial remolding orthosis, pediatric, rigid, with soft interface material, custom fabricated, includes fitting and adjustment(s)
- L0120 – Cervical, flexible, non-adjustable (foam collar)
- L0130 – Cervical, flexible, thermoplastic collar, molded to patient
- L0140 – Cervical, semi-rigid, adjustable (plastic collar)
- L0150 – Cervical, semi-rigid, adjustable molded chin cup (plastic collar with mandibular/occipital piece)
- L0160 – Cervical, semi-rigid, wire frame occipital/mandibular support
- L0170 – Cervical, collar, molded to patient model
- L0172 – Cervical, collar, semi-rigid thermoplastic foam, two piece
- L0174 – Cervical, collar, semi-rigid, thermoplastic foam, two piece with thoracic extension
- L0180 – Cervical, multiple post collar, occipital/mandibular supports, adjustable
- L0190 – Cervical, multiple post collar, occipital/mandibular supports, adjustable cervical bars (Somi, Guilford, Taylor types)
- L0200 – Cervical, multiple post collar, occipital/mandibular supports, adjustable cervical bars, and thoracic extension

*** S1040 Invalid for submission to Medicare but may be acceptable for other insurers.**

Spinal Orthoses

- L0210 – Thoracic, rib belt
- L0220 – Thoracic, rib belt, custom fabricated
- L0430 – Spinal orthosis, anterior-posterior-lateral control, with interface material, custom fitted (DeWall Posture Protector only)
- L0450 – TLSO, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral discs with rigid stays or panel(s), includes shoulder straps and closures, prefabricated includes fitting and adjustment
- L0452 – TLSO, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral discs with rigid stays or panel(s), includes shoulder straps and closures, custom fabricated
- L0454 – TLSO, flexible, provides trunk support, extends from sacrococcygeal junction to above T-9 vertebra, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral discs with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, includes fitting and adjustment
- L0456 – TLSO, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps and closures, prefabricated, includes fitting and adjustment
- L0458 – TLSO, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment

- L0460 – TLSO, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
- L0462 – TLSO, triplanar control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
- L0464 – TLSO, triplanar control, modular segmented spinal system, four rigid plastic shells, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
- L0466 – TLSO, sagittal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral discs, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment
- L0468 – TLSO, sagittal-coronal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction over scapulae, lateral strength provided by pelvic, thoracic, and lateral frame pieces, restricts gross trunk motion in sagittal, and coronal planes, produces intracavitary pressure to reduce load on intervertebral discs, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment
- L0470 – TLSO, triplanar control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction to scapula, lateral strength provided by pelvic, thoracic, and lateral frame pieces, rotational strength provided by subclavicular extensions, restricts gross trunk motion in sagittal, coronal, and transverse planes, produces intracavitary pressure to reduce load on the intervertebral discs, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment
- L0472 – TLSO, triplanar control, hyperextension, rigid anterior and lateral frame extends from symphysis pubis to sternal notch with two anterior components (one pubic and one sternal), posterior and lateral pads with straps and closures, limits spinal flexion, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment
- L0480 – TLSO, triplanar control, one piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated
- L0482 – TLSO, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated
- L0484 – TLSO, triplanar control, two piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is

- enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated
- L0486 – TLSO, triplanar control, two piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated
- L0488 – TLSO, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, prefabricated, includes fitting and adjustment
- L0490 – TLSO, sagittal-coronal control, one piece rigid plastic shell, with overlapping reinforced anterior, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates at or before the T-9 vertebra, anterior extends from symphysis pubis to xiphoid, anterior opening, restricts gross trunk motion in sagittal and coronal planes, prefabricated, includes fitting and adjustment
- L0491 – TLSO, sagittal-coronal control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal and coronal planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
- L0492 – TLSO, sagittal-coronal control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal and coronal planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment
- L0621 – Sacroiliac orthosis, flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, includes fitting and adjustment
- L0622 – Sacroiliac orthosis, flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated
- L0623 – Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, includes fitting and adjustment
- L0624 – Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels placed over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated
- L0625 – Lumbar orthosis, flexible, provides lumbar support, posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include pendulous abdomen design, shoulder straps, stays, prefabricated, includes fitting and adjustment
- L0626 – Lumbar orthosis, sagittal control, with rigid posterior panel(s), posterior extends from L-1 to below L-5 vertebrae, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment
- L0627 – Lumbar orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the

- intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment
- L0628 – Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment
- L0629 – Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, custom fabricated
- L0630 – Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment
- L0631 – Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment
- L0632 – Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated
- L0633 – Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment
- L0634 – Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, custom fabricated
- L0635 – Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, prefabricated, includes fitting and adjustment
- L0636 – Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, custom fabricated
- L0637 – Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment
- L0638 – Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength

provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated

L0639 – Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, anterior extends from symphysis pubis to xiphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated, includes fitting and adjustment

L0640 – Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, anterior extends from symphysis pubis to xiphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated

L0700 – CTLSO, anterior-posterior-lateral control, molded to patient model, (Minerva type)

L0710 – CTLSO, anterior-posterior-lateral control, molded to patient model, with interface material, (Minerva type)

L0810 – Halo procedure, cervical halo incorporated into jacket vest

L0820 – Halo procedure, cervical halo incorporated into plaster body jacket

L0830 – Halo procedure, cervical halo incorporated into Milwaukee type orthosis

L0859 – Addition to halo procedure, magnetic resonance image compatible system, rings and pins, any material

L0861 – Addition to halo procedure, replacement liner/interface material

L0970 – TLSO, corset front

L0972 – LSO, corset front

L0974 – TLSO, full corset

L0976 – LSO, full corset

L0978 – Axillary crutch extension

L0980 – Peroneal straps, pair

L0982 – Stocking supporter grips, set of four (4)

L0984 – Protective body sock, each

L0999 – Addition to spinal orthosis, not otherwise specified

Scoliosis Orthoses

L1000 – CTLSO (Milwaukee), inclusive of furnishing initial orthosis, including model

L1001 – Cervical thoracic lumbar sacral orthosis, immobilizer, infant size, prefabricated, includes fitting and adjustment

L1005 – Tension based scoliosis orthosis and accessory pads, includes fitting and adjustment

L1010 – Addition to CTLSO or scoliosis orthosis, axilla sling

L1020 – Addition to CTLSO or scoliosis orthosis, kyphosis pad

L1025 – Addition to CTLSO or scoliosis orthosis, kyphosis pad, floating

L1030 – Addition to CTLSO or scoliosis orthosis, lumbar bolster pad

L1040 – Addition to CTLSO or scoliosis orthosis, lumbar or lumbar rib pad

L1050 – Addition to CTLSO or scoliosis orthosis, sternal pad

L1060 – Addition to CTLSO or scoliosis orthosis, thoracic pad

L1070 – Addition to CTLSO or scoliosis orthosis, trapezius sling

L1080 – Addition to CTLSO or scoliosis orthosis, outrigger

L1085 – Addition to CTLSO or scoliosis orthosis, outrigger, bilateral with vertical extensions

L1090 – Addition to CTLSO or scoliosis orthosis, lumbar sling

L1100 – Addition to CTLSO or scoliosis orthosis, ring flange, plastic or leather

- L1110 – Addition to CTLSO or scoliosis orthosis, ring flange, plastic or leather, molded to patient model
- L1120 – Addition to CTLSO or scoliosis orthosis, cover for upright, each
- L1200 – TLSO, inclusive of furnishing initial orthosis only
- L1210 – Addition to TLSO, (low profile), lateral thoracic extension
- L1220 – Addition to TLSO, (low profile), anterior thoracic extension
- L1230 – Addition to TLSO, (low profile), Milwaukee type superstructure
- L1240 – Addition to TLSO, (low profile), lumbar derotation pad
- L1250 – Addition to TLSO, (low profile), anterior ASIS pad
- L1260 – Addition to TLSO, (low profile), anterior thoracic derotation pad
- L1270 – Addition to TLSO, (low profile), abdominal pad
- L1280 – Addition to TLSO, (low profile), rib gusset (elastic), each
- L1290 – Addition to TLSO, (low profile), lateral trochanteric pad
- L1300 – Other scoliosis procedure, body jacket molded to patient model
- L1310 – Other scoliosis procedure, postoperative body jacket
- L1499 – Spinal orthosis, not otherwise specified
- L1500 – THKAO, mobility frame (Newington, Parapodium types)
- L1510 – THKAO, standing frame, with or without tray and accessories
- L1520 – THKAO, swivel walker

Lower Limb Orthoses

- L1600 – HO, abduction control of hip joints, flexible, Frejka type with cover, prefabricated, includes fitting and adjustment
- L1610 – HO, abduction control of hip joints, flexible, (Frejka cover only), prefabricated, includes fitting and adjustment
- L1620 – HO, abduction control of hip joints, flexible, (Pavlik harness), prefabricated, includes fitting and adjustment
- L1630 – HO, abduction control of hip joints, semi-flexible (Von Rosen type), custom fabricated
- L1640 – HO, abduction control of hip joints, static, pelvic band or spreader bar, thigh cuffs, custom fabricated
- L1650 – HO, abduction control of hip joints, static, adjustable (Ilfled type), prefabricated, includes fitting and adjustment
- L1652 – HO, bilateral thigh cuffs with adjustable abductor spreader bar, adult size, prefabricated, includes fitting and adjustment, any type
- L1660 – HO, abduction control of hip joints, static, plastic, prefabricated, includes fitting and adjustment
- L1680 – HO, abduction control of hip joints, dynamic, pelvic control, adjustable hip motion control, thigh cuffs (Rancho hip action type), custom fabricated
- L1685 – HO, abduction control of hip joint, postoperative hip abduction type, custom fabricated
- L1686 – HO, abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment
- L1690 – Combination, bilateral, lumbo-sacral, hip, femur orthosis providing adduction and internal rotation control, prefabricated, includes fitting and adjustment
- L1700 – Legg Perthes orthosis, (Toronto type), custom fabricated
- L1710 – Legg Perthes orthosis, (Newington type), custom fabricated
- L1720 – Legg Perthes orthosis, trilateral, (Tachdijan type), custom fabricated
- L1730 – Legg Perthes orthosis, (Scottish Rite type), custom fabricated
- L1755 – Legg Perthes orthosis, (Patten bottom type), custom fabricated
- L1800 – KO, elastic with stays, prefabricated, includes fitting and adjustment
- L1810 – KO, elastic with joints, prefabricated, includes fitting and adjustment

- L1815 – KO, elastic or other elastic type material with condylar pad(s), prefabricated, includes fitting and adjustment
- L1820 – KO, elastic with condylar pads and joints, with or without patellar control, prefabricated, includes fitting and adjustment
- L1825 – KO, elastic knee cap, prefabricated, includes fitting and adjustment
- L1830 – KO, immobilizer, canvas longitudinal, prefabricated, includes fitting and adjustment
- L1831 – KO, locking knee joint(s), positional orthosis, prefabricated, includes fitting and adjustment
- L1832 – KO, adjustable knee joints, (unicentric or polycentric) positional orthosis, rigid support, prefabricated, includes fitting and adjustment
- L1834 – KO, without knee joint, rigid, custom fabricated
- L1836 – KO, rigid, without joint(s), includes soft interface material, prefabricated, includes fitting and adjustment
- L1840 – KO, derotation, medial-lateral, anterior cruciate ligament, custom fabricated
- L1843 – KO, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated, includes fitting and adjustment
- L1844 – KO, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated
- L1845 – KO, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated, includes fitting and adjustment
- L1846 – KO, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated
- L1847 – KO, double upright with adjustable joint, with inflatable air support chamber(s), prefabricated, includes fitting and adjustment
- L1850 – KO, Swedish type, prefabricated, includes fitting and adjustment
- L1860 – KO, modification of supracondylar prosthetic socket, custom fabricated (SK)
- L1900 – AFO, spring wire, dorsiflexion assist calf band, custom fabricated
- L1901 – Ankle orthosis, elastic, prefabricated, includes fitting and adjustment (E.G., neoprene, lycra)
- L1902 – AFO, ankle gauntlet, prefabricated, includes fitting and adjustment
- L1904 – AFO, molded ankle gauntlet, custom fabricated
- L1906 – AFO, multiligamentous ankle support, prefabricated, includes fitting and adjustment
- L1907 – AFO, supramalleolar with straps, with or without interface/pads, custom fabricated
- L1910 – AFO, posterior, single bar, clasp attachment to shoe counter, prefabricated, includes fitting and adjustment
- L1920 – AFO, single upright with static or adjustable stop (Phelps or Perlstein type), custom fabricated
- L1930 – AFO, plastic or other material, prefabricated, includes fitting and adjustment
- L1932 – AFO, rigid anterior tibial section, total carbon fiber or equal material, prefabricated, includes fitting and adjustment
- L1940 – AFO, plastic or other material, custom fabricated
- L1945 – AFO, plastic, rigid anterior tibial section (floor reaction), custom fabricated
- L1950 – AFO, spiral, (Institute of Rehabilitative Medicine type), plastic, custom fabricated
- L1951 – AFO, spiral, (Institute of Rehabilitative Medicine type), plastic or other material, prefabricated, includes fitting and adjustment
- L1960 – AFO, posterior solid ankle, plastic, custom fabricated
- L1970 – AFO, plastic with ankle joint, custom fabricated

L1971 – AFO, plastic or other material with ankle joint, prefabricated, includes fitting and adjustment

L1980 – AFO, single upright free plantar dorsiflexion, solid stirrup, calf band/cuff (single bar “BK” orthosis), custom fabricated

L1990 – AFO, double upright free plantar dorsiflexion, solid stirrup, calf band/cuff (double bar “BK” orthosis), custom fabricated

L2000 – KAFO, single upright, free knee, free ankle, solid stirrup, thigh and calf band/cuffs (single bar “AK” orthosis), custom fabricated

L2005 – KAFO, any material, single or double upright, stance control, automatic lock and swing phase release, mechanical activation, includes ankle joint, any type, custom fabricated

L2010 – KAFO, single upright, free ankle, solid stirrup, thigh and calf band/cuffs (single bar “AK” orthosis), without knee joint, custom fabricated

L2020 – KAFO, double upright, free ankle, solid stirrup, thigh and calf band/cuffs (double bar “AK” orthosis), custom fabricated

L2030 – KAFO, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs (double bar “AK” orthosis), without knee joint, custom fabricated

L2034 – KAFO, full plastic, single upright, with or without free motion knee, medial lateral rotation control, with or without free motion ankle, custom fabricated

L2035 – KAFO, full plastic, static (pediatric size), without free motion ankle, prefabricated, includes fitting and adjustment

L2036 – KAFO, full plastic, double upright, with or without free motion knee, with or without free motion ankle, custom fabricated

L2037 – KAFO, full plastic, single upright, with or without free motion knee, with or without free motion ankle, custom fabricated

L2038 – KAFO, full plastic, with or without free motion knee, multi-axis ankle, custom fabricated

L2040 – HKAFO, torsion control, bilateral rotation straps, pelvic band/belt, custom fabricated

L2050 – HKAFO, torsion control, bilateral torsion cables, hip joint, pelvic band/belt, custom fabricated

L2060 – HKAFO, torsion control, bilateral torsion cables, ball bearing hip joint, pelvic band/belt, custom fabricated

L2070 – HKAFO, torsion control, unilateral rotation straps, pelvic band/belt, custom fabricated

L2080 – HKAFO, torsion control, unilateral torsion cable, hip joint, pelvic band/belt, custom fabricated

L2090 – HKAFO, torsion control, unilateral torsion cable, ball bearing hip joint, pelvic band/belt, custom fabricated

L2106 – AFO, fracture orthosis, tibial fracture cast orthosis, thermoplastic type casting material, custom fabricated

L2108 – AFO, fracture orthosis, tibial fracture cast orthosis, custom fabricated

L2112 – AFO, fracture orthosis, tibial fracture orthosis, soft, prefabricated, includes fitting and adjustment

L2114 – AFO, fracture orthosis, tibial fracture orthosis, semi-rigid, prefabricated, includes fitting and adjustment

L2116 – AFO, fracture orthosis, tibial fracture orthosis, rigid, prefabricated, includes fitting and adjustment

L2126 – KAFO, fracture orthosis, femoral fracture cast orthosis, thermoplastic type casting material, custom fabricated

L2128 – KAFO, fracture orthosis, femoral fracture cast orthosis, custom fabricated

L2132 – KAFO, fracture orthosis, femoral fracture cast orthosis, soft, prefabricated, includes fitting and adjustment

L2134 – KAFO, fracture orthosis, femoral fracture cast orthosis, semi-rigid, prefabricated, includes fitting and adjustment

- L2136 – KAFO, fracture orthosis, femoral fracture cast orthosis, rigid, prefabricated, includes fitting and adjustment
- L2180 – Addition to lower extremity fracture orthosis, plastic shoe insert with ankle joints
- L2182 – Addition to lower extremity fracture orthosis, drop lock knee joint
- L2184 – Addition to lower extremity fracture orthosis, limited motion knee joint
- L2186 – Addition to lower extremity fracture orthosis, adjustable motion knee joint, Lerman type
- L2188 – Addition to lower extremity fracture orthosis, quadrilateral brim
- L2190 – Addition to lower extremity fracture orthosis, waist belt
- L2192 – Addition to lower extremity fracture orthosis, hip joint, pelvic band, thigh flange, and pelvic belt
- L2200 – Addition to lower extremity, limited ankle motion, each joint
- L2210 – Addition to lower extremity, dorsiflexion assist (plantar flexion resist), each joint
- L2220 – Addition to lower extremity, dorsiflexion and plantar flexion assist/resist, each joint
- L2230 – Addition to lower extremity, split flat caliper stirrups and plate attachment
- L2232 – Addition to lower extremity orthosis, rocker bottom for total contact ankle foot orthosis, for custom fabricated orthosis only
- L2240 – Addition to lower extremity, round caliper and plate attachment
- L2250 – Addition to lower extremity, foot plate, molded to patient model, stirrup attachment
- L2260 – Addition to lower extremity, reinforced solid stirrup (Scott-Craig type)
- L2265 – Addition to lower extremity, long tongue stirrup
- L2270 – Addition to lower extremity, varus/valgus correction (“T”) strap, padded/lined or malleolus pad
- L2275 – Addition to lower extremity, varus/valgus correction, plastic modification, padded/lined
- L2280 – Addition to lower extremity, molded inner boot
- L2300 – Addition to lower extremity, abduction bar (bilateral hip involvement), jointed, adjustable
- L2310 – Addition to lower extremity, abduction bar, straight
- L2320 – Addition to lower extremity, non-molded lacer for custom fabricated orthosis only
- L2330 – Addition to lower extremity, lacer, molded to patient model for custom fabricated orthosis only
- L2335 – Addition to lower extremity, anterior swing band
- L2340 – Addition to lower extremity, pre-tibial shell, molded to patient model
- L2350 – Addition to lower extremity, prosthetic type, (BK) socket, molded to patient model, (used for “PTB” “AFO” orthoses)
- L2360 – Addition to lower extremity, extended steel shank
- L2370 – Addition to lower extremity, Patten bottom
- L2375 – Addition to lower extremity, torsion control, ankle joint and half solid stirrup
- L2380 – Addition to lower extremity, torsion control, straight knee joint, each joint
- L2385 – Addition to lower extremity, straight knee joint, heavy duty, each joint
- L2387 – Addition to lower extremity, polycentric knee joint, for custom fabricated knee ankle foot orthosis, each joint
- L2390 – Addition to lower extremity, offset knee joint, each joint
- L2395 – Addition to lower extremity, offset knee joint, heavy duty, each joint
- L2397 – Addition to lower extremity orthosis, suspension sleeve
- L2405 – Addition to knee joint, drop lock, each
- L2415 – Addition to knee lock with integrated release mechanism (bail, cable, or equal), any material, each joint
- L2425 – Addition to knee joint, disc or dial lock for adjustable knee flexion, each joint
- L2430 – Addition to knee joint, ratchet lock for active and progressive knee extension, each joint
- L2492 – Addition to knee joint, lift loop for drop lock ring
- L2500 – Addition to lower extremity, thigh/weight bearing, gluteal/ischial weight bearing, ring

- L2510 – Addition to lower extremity, thigh/weight bearing, quadrilateral brim, molded to patient model
- L2520 – Addition to lower extremity, thigh/weight bearing, quadrilateral brim, custom fitted
- L2525 – Addition to lower extremity, thigh/weight bearing, ischial containment/narrow M-L brim molded to patient model
- L2526 – Addition to lower extremity, thigh/weight bearing, Ischial containment/narrow M-L brim, custom fitted
- L2530 – Addition to lower extremity, thigh/weight bearing, lacer, non-molded
- L2540 – Addition to lower extremity, thigh/weight bearing, lacer, molded to patient model
- L2550 – Addition to lower extremity, thigh/weight bearing, high roll cuff
- L2570 – Addition to lower extremity, pelvic control, hip joint, Clevis type, two position joint, each
- L2580 – Addition to lower extremity, pelvic control, pelvic sling
- L2600 – Addition to lower extremity, pelvic control, hip joint, Clevis type, or thrust bearing, free, each
- L2610 – Addition to lower extremity, pelvic control, hip joint, Clevis type or thrust bearing, lock, each
- L2620 – Addition to lower extremity, pelvic control, hip joint, heavy-duty, each
- L2622 – Addition to lower extremity, pelvic control, hip joint, adjustable flexion, each
- L2624 – Addition to lower extremity, pelvic control, hip joint, adjustable flexion, extension, abduction control, each
- L2627 – Addition to lower extremity, pelvic control, plastic, molded to patient model, reciprocating hip joint and cables
- L2628 – Addition to lower extremity, pelvic control, metal frame, reciprocating hip joint and cables
- L2630 – Addition to lower extremity, pelvic control, band and belt, unilateral
- L2640 – Addition to lower extremity, pelvic control, band and belt, bilateral
- L2650 – Addition to lower extremity, pelvic and thoracic control, gluteal pad, each
- L2660 – Addition to lower extremity, thoracic control, thoracic band
- L2670 – Addition to lower extremity, thoracic control, paraspinal uprights
- L2680 – Addition to lower extremity, thoracic control, lateral support uprights
- L2750 – Addition to lower extremity orthosis, plating chrome or nickel, per bar
- L2755 – Addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, per segment for custom fabricated orthosis only
- L2760 – Addition to lower extremity orthosis, extension, per extension, per bar (for lineal adjustment for growth)
- L2768 – Orthotic side bar disconnect device, per bar
- L2770 – Addition to lower extremity orthosis, any material, per bar or joint
- L2780 – Addition to lower extremity orthosis, non-corrosive finish, per bar
- L2785 – Addition to lower extremity orthosis, drop lock retainer, each
- L2795 – Addition to lower extremity orthosis, knee control, full kneecap
- L2800 – Addition to lower extremity orthosis, knee control, knee cap, medial or lateral pull, for use with custom fabricated orthosis only
- L2810 – Addition to lower extremity orthosis, knee control, condylar pad
- L2820 – Addition to lower extremity orthosis, soft interface for molded plastic, below knee section
- L2830 – Addition to lower extremity orthosis, soft interface for molded plastic, above knee section
- L2840 – Addition to lower extremity orthosis, tibial length sock, fracture or equal, each
- L2850 – Addition to lower extremity orthosis, femoral length sock, fracture or equal, each
- *L2860 – Addition to lower extremity joint, knee or ankle, concentric adjustable torsion style mechanism, each
- L2999 – Lower extremity orthoses, not otherwise specified

*** L2860 Invalid for submission to Medicare but may be acceptable for other insurers.**

Orthopedic Shoes

- L3000 – Foot, insert, removable, molded to patient model, “UCB” type, Berkeley shell, each
- L3001 – Foot, insert, removable, molded to patient model, Spenco, each
- L3002 – Foot, insert, removable, molded to patient model, Plastazote or equal, each
- L3003 – Foot, insert, removable, molded to patient model, silicone gel, each
- L3010 – Foot, insert, removable, molded to patient model, longitudinal arch support, each
- L3020 – Foot, insert, removable, molded to patient model, longitudinal/metatarsal support, each
- L3030 – Foot, insert, removable, formed to patient foot, each
- L3031 – Foot, insert/plate, removable, addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, each
- L3040 – Foot, arch support, removable, premolded, longitudinal, each
- L3050 – Foot, arch support, removable, premolded, metatarsal, each
- L3060 – Foot, arch support, removable, premolded, longitudinal/metatarsal, each
- L3070 – Foot, arch support, non-removable attached to shoe, longitudinal, each
- L3080 – Foot, arch support, non-removable attached to shoe, metatarsal, each
- L3090 – Foot, arch support, non-removable attached to shoe, longitudinal/metatarsal, each
- L3100 – Hallus-Valgus night dynamic splint
- L3140 – Foot, abduction rotation bar, including shoes
- L3150 – Foot, abduction rotation bar, without shoes
- L3160 – Foot, adjustable shoe-styled positioning device
- L3170 – Foot, plastic, silicone or equal, heel stabilizer, each
- L3201 – Orthopedic shoe, oxford with supinator or pronator, infant
- L3202 – Orthopedic shoe, oxford with supinator or pronator, child
- L3203 – Orthopedic shoe, oxford with supinator or pronator, junior
- L3204 – Orthopedic shoe, hightop with supinator or pronator, infant
- L3206 – Orthopedic shoe, hightop with supinator or pronator, child
- L3207 – Orthopedic shoe, hightop with supinator or pronator, junior
- L3208 – Surgical boot, each, infant
- L3209 – Surgical boot, each, child
- L3211 – Surgical boot, each, junior
- L3212 – Benesch boot, pair, infant
- L3213 – Benesch boot, pair, child
- L3214 – Benesch boot, pair, junior
- L3215 – Orthopedic footwear, ladies shoe, oxford, each
- L3216 – Orthopedic footwear, ladies shoe, depth inlay, each
- L3217 – Orthopedic footwear, ladies shoe, hightop, depth inlay, each
- L3219 – Orthopedic footwear, men’s shoe, oxford, each
- L3221 – Orthopedic footwear, men’s shoe, depth inlay, each
- L3222 – Orthopedic footwear, men’s shoe, hightop, depth inlay, each
- L3224 – Orthopedic footwear, woman’s shoe, oxford, used as an integral part of a brace (orthosis)
- L3225 – Orthopedic footwear, man’s shoe, oxford, used as an integral part of a brace (orthosis)
- L3230 – Orthopedic footwear, custom shoe, depth inlay, each
- L3250 – Orthopedic footwear, custom molded shoe, removable inner mold, prosthetic shoe, each
- L3251 – Foot, shoe molded to patient model, silicone shoe, each
- L3252 – Foot, shoe molded to patient model, Plastazote (or similar), custom fabricated, each
- L3253 – Foot, molded shoe Plastazote (or similar), custom fitted, each
- L3254 – Non-standard size or width
- L3255 – Non-standard size or length
- L3257 – Orthopedic footwear, additional charge for split size

L3260 – Surgical boot/shoe, each
 L3265 – Plastazote sandal, each
 L3300 – Lift, elevation, heel, tapered to metatarsals, per inch
 L3310 – Lift, elevation, heel and sole, neoprene, per inch
 L3320 – Lift, elevation, heel and sole, cork, per inch
 L3330 – Lift, elevation, metal extension (skate)
 L3332 – Lift, elevation, inside shoe, tapered, up to one-half inch
 L3334 – Lift, elevation, heel, per inch
 L3340 – Heel wedge, SACH
 L3350 – Heel wedge
 L3360 – Sole wedge, outside sole
 L3370 – Sole wedge, between sole
 L3380 – Clubfoot wedge
 L3390 – Outflare wedge
 L3400 – Metatarsal bar wedge, rocker
 L3410 – Metatarsal bar wedge, between sole
 L3420 – Full sole and heel wedge, between sole
 L3430 – Heel, counter, plastic reinforced
 L3440 – Heel, counter, leather reinforced
 L3450 – Heel, SACH cushion type
 L3455 – Heel, new leather, standard
 L3460 – Heel, new rubber, standard
 L3465 – Heel, Thomas with wedge
 L3470 – Heel, Thomas extended to ball
 L3480 – Heel, pad and depression for spur
 L3485 – Heel, pad, removable for spur
 L3500 – Orthopedic shoe addition, insole, leather
 L3510 – Orthopedic shoe addition, insole, rubber
 L3520 – Orthopedic shoe addition, insole, felt covered with leather
 L3530 – Orthopedic shoe addition, sole, half
 L3540 – Orthopedic shoe addition, sole, full
 L3550 – Orthopedic shoe addition, toe tap, standard
 L3560 – Orthopedic shoe addition, toe tap, horseshoe
 L3570 – Orthopedic shoe addition, special extension to instep (leather with eyelets)
 L3580 – Orthopedic shoe addition, convert instep to velcro closure
 L3590 – Orthopedic shoe addition, convert firm shoe counter to soft counter
 L3595 – Orthopedic shoe addition, March bar
 L3600 – Transfer of an orthosis from one shoe to another, caliper plate, existing
 L3610 – Transfer of an orthosis from one shoe to another, caliper plate, new
 L3620 – Transfer of an orthosis from one shoe to another, solid stirrup, existing
 L3630 – Transfer of an orthosis from one shoe to another, solid stirrup, new
 L3640 – Transfer of an orthosis from one shoe to another, Dennis Browne splint (Riveton), both shoes
 L3649 – Orthopedic shoe, modification, addition or transfer, not otherwise specified

Upper Limb Orthoses

L3650 – SO, figure of eight design abduction restrainer, prefabricated, includes fitting and adjustment
 L3651 – SO, single shoulder, elastic, prefabricated, includes fitting and adjustment (E.G., neoprene, lycra)

- L3652 – SO, double shoulder, elastic, prefabricated, includes fitting and adjustment (E.G., neoprene, lycra)
- L3660 – SO, figure of eight design abduction restrainer, canvas and webbing, prefabricated, includes fitting and adjustment
- L3670 – SO, acromio/clavicular (canvas and webbing type), prefabricated, includes fitting and adjustment
- L3671 – SO, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3672 – SO, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3673 – SO, abduction positioning (airplane design), thoracic component and support bar, includes nontorsion joint/turnbuckle, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3675 – SO, vest type abduction restrainer, canvas webbing type or equal, prefabricated, includes fitting and adjustment
- L3677 – SO, hard plastic, shoulder stabilizer, prefabricated, includes fitting and adjustment
- L3700 – EO, elastic with stays, prefabricated, includes fitting and adjustment
- L3701 – EO, elastic, prefabricated, includes fitting and adjustment (E.G., neoprene, lycra)
- L3702 – EO, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3710 – EO, elastic with metal joints, prefabricated, includes fitting and adjustment
- L3720 – EO, double upright with forearm/arm cuffs, free motion, custom fabricated
- L3730 – EO, double upright with forearm/arm cuffs, extension/flexion assist, custom fabricated
- L3740 – EO, double upright with forearm/arm cuffs, adjustable position lock with active control, custom fabricated
- L3760 – EO, with adjustable position locking joint(s), prefabricated, includes fitting and adjustments, any type
- L3762 – EO, rigid, without joints, includes soft interface material, prefabricated, includes fitting and adjustment
- L3763 – EWHO, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3764 – EWHO, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3765 – EWHFO, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3766 – EWHFO, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3806 – WHFO, includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, custom fabricated, includes fitting and adjustment
- L3807 – WHFO, without joint(s), prefabricated, includes fitting and adjustments, any type
- L3808 – WHFO, rigid without joints, may include soft interface material; straps, custom fabricated, includes fitting and adjustment.
- *L3890 – Addition to upper extremity joint, wrist or elbow, concentric adjustable torsion style mechanism, each
- L3900 – WHFO, dynamic flexor hinge, reciprocal wrist extension/flexion, finger flexion/extension, wrist or finger driven, custom fabricated
- L3901 – WHFO, dynamic flexor hinge, reciprocal wrist extension/flexion, finger flexion/extension, cable driven, custom fabricated
- L3904 – WHFO, external powered, electric, custom fabricated

L3905 – WHO, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment

L3906 – WHO, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment

L3908 – WHO, wrist extension control cock-up, non-molded, prefabricated, includes fitting and adjustment

L3909 – WO, elastic, prefabricated, includes fitting and adjustment (E.G., neoprene, lycra)

L3911 – WHFO, elastic, prefabricated, includes fitting and adjustment (E.G., neoprene, lycra)

L3912 – HFO, flexion glove with elastic finger control, prefabricated, includes fitting and adjustment

L3913 – HFO, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment

L3915 – WHO, includes one or more nontorsion joint(s), elastic bands, turnbuckles, may include soft interface, straps, prefabricated, includes fitting and adjustment

L3917 – HO, metacarpal fracture orthosis, prefabricated, includes fitting and adjustment

L3919 – HO, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment

L3921 – HFO, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment

L3923 – HFO, without joint(s), may include soft interface, straps, prefabricated, includes fitting and adjustments

L3925 – FO, proximal interphalangeal (pip)/distal interphalangeal (dip), non torsion joint/spring, extension/flexion, may include soft interface material, prefabricated, includes fitting and adjustment

L3927 – FO, proximal interphalangeal (pip)/distal interphalangeal (dip), without joint/spring, extension/flexion (e.g. static or ring type), may include soft interface material, prefabricated, includes fitting and adjustment

L3929 – HFO, includes one or more non torsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated, includes fitting and adjustment

L3931 – WHFO, includes one or more non torsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated, includes fitting and adjustment

L3933 – FO, without joints, may include soft interface, custom fabricated, includes fitting and adjustment

L3935 – FO, nontorsion joint, may include soft interface, custom fabricated, includes fitting and adjustment

L3956 – Addition of joint to upper extremity orthosis, any material, per joint

L3960 – SEWHO, abduction positioning, airplane design, prefabricated, includes fitting and adjustment

L3961 – SEWHO, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment

L3962 – SEWHO, abduction positioning, Erbs palsey design, prefabricated, includes fitting and adjustment

L3964 – SEO, mobile arm support attached to wheelchair, balanced, adjustable, prefabricated, includes fitting and adjustment

L3965 – SEO, mobile arm support attached to wheelchair, balanced, adjustable Rancho type, prefabricated, includes fitting and adjustment

L3966 – SEO, mobile arm support attached to wheelchair, balanced, reclining, prefabricated, includes fitting and adjustment

L3967 – SEWHO, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment

- L3968 – SEO, mobile arm support attached to wheelchair, balanced, friction arm support (friction dampening to proximal and distal joints), prefabricated, includes fitting and adjustment
- L3969 – SEO, mobile arm support, monosuspension arm and hand support, overhead elbow forearm hand sling support, yoke type suspension support, prefabricated, includes fitting and adjustment
- L3970 – SEO, addition to mobile arm support, elevating proximal arm
- L3971 – SEWHO, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3972 – SEO, addition to mobile arm support, offset or lateral rocker arm with elastic balance control
- L3973 – SEWHO, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3974 – SEO, addition to mobile arm support, supinator
- L3975 – SEWHFO, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3976 - SEWHFO, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3977 – SEWHFO, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3978 – SEWHFO, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
- L3980 – Upper extremity fracture orthosis, humeral, prefabricated, includes fitting and adjustment
- L3982 – Upper extremity fracture orthosis, radius/ulnar, prefabricated, includes fitting and adjustment
- L3984 – Upper extremity fracture orthosis, wrist, prefabricated, includes fitting and adjustment
- L3995 – Addition to upper extremity orthosis, sock, fracture or equal, each
- L3999 – Upper limb orthosis, not otherwise specified

*** L3890 Invalid for submission to Medicare but may be acceptable for other insurers.**

Replace/Repair

- L4000 – Replace girdle for spinal orthosis (CTLSO or SO)
- L4002 – Replacement strap, any orthosis, includes all components, any length, any type
- L4010 – Replace trilateral socket brim
- L4020 – Replace quadrilateral socket brim, molded to patient model
- L4030 – Replace quadrilateral socket brim, custom fitted
- L4040 – Replace molded thigh lacer, for custom fabricated orthosis only
- L4045 – Replace non-molded thigh lacer, for custom fabricated orthosis only
- L4050 – Replace molded calf lacer, for custom fabricated orthosis only
- L4055 – Replace non-molded calf lacer, for custom fabricated orthosis only
- L4060 – Replace high roll cuff
- L4070 – Replace proximal and distal upright for KAFO
- L4080 – Replace metal bands KAFO, proximal thigh
- L4090 – Replace metal bands KAFO-AFO, calf or distal thigh
- L4100 – Replace leather cuff KAFO, proximal thigh
- L4110 – Replace leather cuff KAFO-AFO, calf or distal thigh
- L4130 – Replace pretibial shell
- L4205 – Repair of orthotic device, labor component, per 15 minutes

L4210 – Repair of orthotic device, repair or replace minor parts

Ancillary Orthoses

L4350 – Ankle control orthosis, stirrup style, rigid, includes any type of interface (E.G., pneumatic, gel), prefabricated, includes fitting and adjustment

L4360 – Walking boot, pneumatic, with or without joints, with or without interface material, prefabricated, includes fitting and adjustment

L4370 – Pneumatic full leg splint, prefabricated, includes fitting and adjustment

L4380 – Pneumatic knee splint, prefabricated, includes fitting and adjustment

L4386 – Walking boot, non-pneumatic, with or without joints, with or without interface material, prefabricated, includes fitting and adjustment

L4392 – Replacement, soft interface material, static AFO

L4394 – Replace soft interface material, foot drop splint

L4396 – Static AFO, including soft interface material, adjustable for fit, for positioning, pressure reduction, may be used for minimal ambulation, prefabricated, includes fitting and adjustment

L4398 – Foot drop splint, recumbent positioning device, prefabricated, includes fitting and adjustment

Diabetic Shoes

A5500 – For diabetics only, fitting (including follow-up), custom preparation and supply of off-the-shelf depth-inlay shoe manufactured to accommodate multi-density insert(s), per shoe

A5501 – For diabetics only, fitting (including follow-up), custom preparation and supply of shoe molded from cast(s) of patient's foot (custom molded shoe), per shoe

A5503 – For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with roller or rigid rocker bottom, per shoe

A5504 – For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with wedge(s), per shoe

A5505 – For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with metatarsal bar, per shoe

A5506 – For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with off-set heel(s), per shoe

A5507 – For diabetics only, not otherwise specified modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe, per shoe

A5508 – For diabetics only, deluxe feature of off-the-shelf depth inlay shoe or custom molded shoe, per shoe

A5510 – For diabetics only, direct formed, compression molded to patient's foot without external heat source, multiple density insert(s), prefabricated, per shoe

A5512 – For diabetics only, multiple density insert, direct formed, molded to foot after external heat source of 230 degrees Fahrenheit or higher, total contact with patient's foot, including arch, base layer minimum of ¼ inch material of Shore A 35 durometer or 3/16 inch material of Shore A 40 durometer (or higher), prefabricated, each

A5513 – For diabetics only, multiple density insert, custom molded from model of patient's foot, total contact with patient's foot, including arch, base layer minimum of 3/16 inch material of shore a 35 durometer or higher, includes arch filler and other shaping material, custom fabricated, each

Elastic Supports

A6530 – Gradient compression stocking, below knee, 18-30 mmhg, each

A6531 – Gradient compression stocking, below knee, 30-40 mmhg, each

A6532 – Gradient compression stocking, below knee, 40-50 mmhg, each

- A6533 – Gradient compression stocking, thigh length, 18-30 mmhg, each
- A6534 – Gradient compression stocking, thigh length, 30-40 mmhg, each
- A6535 – Gradient compression stocking, thigh length, 40-50 mmhg, each
- A6536 – Gradient compression stocking, full length/chap style, 18-30 mmhg, each
- A6537 – Gradient compression stocking, full length/chap style, 30-40 mmhg, each
- A6538 – Gradient compression stocking, full length/chap style, 40-50 mmhg, each
- A6539 – Gradient compression stocking, waist length, 18-30 mmhg each
- A6540 – Gradient compression stocking, waist length, 30-40 mmhg each
- A6541 – Gradient compression stocking, waist length, 40-50 mmhg each
- A6542 – Gradient compression stocking, custom made
- A6543 – Gradient compression stocking, lymph edema
- A6544 – Gradient compression stocking, garter belt
- A6549 – Gradient compression stocking, not otherwise specified

Other

- L9900 – Orthotic and prosthetic supply, accessory, and/or service component of another HCPCS “L” code
- A6513 – Compression burn mask, face and/or neck, plastic or equal, custom fabricated
- A8000 – Helmet, protective, soft, prefabricated, includes all components and accessories
- A8001 – Helmet, protective, hard, prefabricated, includes all components and accessories
- A8002 – Helmet, protective, soft, custom fabricated, includes all components and accessories
- A8003 – Helmet, protective, hard, custom fabricated, includes all components and accessories
- A8004 – Soft interface for helmet, replacement only
- A9283 – Foot pressure off loading/supportive device, any type, each

