

## Lower Limb Prostheses

---

- L5000 – Partial foot, shoe insert with longitudinal arch, toe filler
- L5010 – Partial foot, molded socket, ankle height, with toe filler
- L5020 – Partial foot, molded socket, tibial tubercle height, with toe filler
- L5050 – Ankle, Symes, molded socket, SACH foot
- L5060 – Ankle, Symes, metal frame, molded leather socket, articulated ankle/foot
- L5100 – Below knee, molded socket, shin, SACH foot
- L5105 – Below knee, plastic socket, joints and thigh lacer, SACH foot
- L5150 – Knee disarticulation (or through knee), molded socket, external knee joints, shin, SACH foot
- L5160 – Knee disarticulation (or through knee), molded socket, bent knee configuration, external knee joints, shin, SACH foot
- L5200 – Above knee, molded socket, single axis constant friction knee, shin, SACH foot
- L5210 – Above knee, short prosthesis, no knee joint (“stubbies”), with foot blocks, no ankle joints, each
- L5220 – Above knee, short prosthesis, no knee joint (“stubbies”), with articulated ankle/foot, dynamically aligned, each
- L5230 – Above knee, for proximal femoral focal deficiency, constant friction knee, shin, SACH foot
- L5250 – Hip disarticulation, Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot
- L5270 – Hip disarticulation, tilt table type; molded socket, locking hip joint, single axis constant friction knee, shin, SACH foot
- L5280 – Hemipelvectomy, Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot
- L5301 – Below knee, molded socket, shin, SACH foot, endoskeletal system
- L5311 – Knee disarticulation (or through knee), molded socket, external knee joints, shin, SACH foot, endoskeletal system
- L5321 – Above knee, molded socket, open end, SACH foot, endoskeletal system, single axis knee
- L5331 – Hip disarticulation, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot
- L5341 – Hemipelvectomy, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot
- L5400 – Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee
- L5410 – Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, below knee, each additional cast change and realignment
- L5420 – Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension and one cast change “AK” or knee disarticulation
- L5430 – Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, “AK” or knee disarticulation, each additional cast change and realignment
- L5450 – Immediate post surgical or early fitting, application of non-weight bearing rigid dressing, below knee
- L5460 – Immediate post surgical or early fitting, application of non-weight bearing rigid dressing, above knee
- L5500 – Initial, below knee “PTB” type socket, non-alignable system, pylon, no cover, SACH foot, plaster socket, direct formed
- L5505 – Initial, above knee-knee disarticulation, Ischial level socket, non-alignable system, pylon, no cover, SACH foot, plaster socket, direct formed

L5510 – Preparatory, below knee “PTB” type socket, non-alignable system, pylon, no cover, SACH foot, plaster socket, molded to model

L5520 – Preparatory, below knee “PTB” type socket, non-alignable system, pylon, no cover, SACH foot, thermoplastic or equal, direct formed

L5530 – Preparatory, below knee “PTB” type socket, non-alignable system, pylon, no cover, SACH foot, thermoplastic or equal, molded to model

L5535 – Preparatory, below knee “PTB” type socket, non-alignable system, no cover, SACH foot, prefabricated, adjustable open end socket

L5540 – Preparatory, below knee “PTB” type socket, non-alignable system, pylon, no cover, SACH foot, laminated socket, molded to model

L5560 – Preparatory, above knee-knee disarticulation, Ischial level socket, non-alignable system, pylon, no cover, SACH foot, plaster socket, molded to model

L5570 – Preparatory, above knee-knee disarticulation, Ischial level socket, non-alignable system, pylon, no cover, SACH foot, thermoplastic or equal, direct formed

L5580 – Preparatory, above knee-knee disarticulation, Ischial level socket, non-alignable system, pylon, no cover, SACH foot, thermoplastic or equal, molded to model

L5585 – Preparatory, above knee-knee disarticulation, Ischial level socket, non-alignable system, pylon, no cover, SACH foot, prefabricated adjustable open end socket

L5590 – Preparatory, above knee-knee disarticulation, Ischial level socket, non-alignable system, pylon, no cover, SACH foot, laminated socket, molded to model

L5595 – Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, SACH foot, thermoplastic or equal, molded to patient model

L5600 – Preparatory, hip disarticulation-hemipelvectomy, pylon, no cover, SACH foot, laminated socket, molded to patient model

L5610 – Addition to lower extremity, endoskeletal system, above knee, hydracadance system

L5611 – Addition to lower extremity, endoskeletal system, above knee-knee disarticulation, 4 bar linkage, with friction swing phase control

L5613 – Addition to lower extremity, endoskeletal system, above knee-knee disarticulation, 4 bar linkage, with hydraulic swing phase control

L5614 – Addition to lower extremity, exoskeletal system, above knee-knee disarticulation, 4 bar linkage, with pneumatic swing phase control

L5616 – Addition to lower extremity, endoskeletal system, above knee, universal multiplex system, friction swing phase control

L5617 – Addition to lower extremity, quick change self-aligning unit, above or below knee, each

L5618 – Addition to lower extremity, test socket, Symes

L5620 – Addition to lower extremity, test socket, below knee

L5622 – Addition to lower extremity, test socket, knee disarticulation

L5624 – Addition to lower extremity, test socket, above knee

L5626 – Addition to lower extremity, test socket, hip disarticulation

L5628 – Addition to lower extremity, test socket, hemipelvectomy

L5629 – Addition to lower extremity, below knee, acrylic socket

L5630 – Addition to lower extremity, Symes type, expandable wall socket

L5631 – Addition to lower extremity, above knee or knee disarticulation, acrylic socket

L5632 – Addition to lower extremity, Symes type, “PTB” brim design socket

L5634 – Addition to lower extremity, Symes type, posterior opening (Canadian) socket

L5636 – Addition to lower extremity, Symes type, medial opening socket

L5637 – Addition to lower extremity, below knee, total contact

L5638 – Addition to lower extremity, below knee, leather socket

L5639 – Addition to lower extremity, below knee, wood socket

L5640 – Addition to lower extremity, knee disarticulation, leather socket

L5642 – Addition to lower extremity, above knee, leather socket

- L5643 – Addition to lower extremity, hip disarticulation, flexible inner socket, external frame
- L5644 – Addition to lower extremity, above knee, wood socket
- L5645 – Addition to lower extremity, below knee, flexible inner socket, external frame
- L5646 – Addition to lower extremity, below knee, air, fluid, gel or equal, cushion socket
- L5647 – Addition to lower extremity, below knee, suction socket
- L5648 – Addition to lower extremity, above knee, air, fluid, gel or equal, cushion socket
- L5649 – Addition to lower extremity, ischial containment/narrow M-L socket
- L5650 – Addition to lower extremity, total contact, above knee or knee disarticulation socket
- L5651 – Addition to lower extremity, above knee, flexible inner socket, external frame
- L5652 – Addition to lower extremity, suction suspension, above knee or knee disarticulation socket
- L5653 – Addition to lower extremity, knee disarticulation, expandable wall socket
- L5654 – Addition to lower extremity, socket insert, Symes (Kemblo, Pelite, Aliplast, Plastazote or equal)
- L5655 – Addition to lower extremity, socket insert, below knee (Kemblo, Pelite, Aliplast, Plastazote or equal)
- L5656 – Addition to lower extremity, socket insert, knee disarticulation (Kemblo, Pelite, Aliplast, Plastazote or equal)
- L5658 – Addition to lower extremity, socket insert, above knee (Kemblo, Pelite, Aliplast, Plastazote or equal)
- L5661 – Addition to lower extremity, socket insert, multidurometer, Symes
- L5665 – Addition to lower extremity, socket insert, multidurometer, below knee
- L5666 – Addition to lower extremity, below knee, cuff suspension
- L5668 – Addition to lower extremity, below knee, molded distal cushion
- L5670 – Addition to lower extremity, below knee, molded supracondylar suspension (“PTS” or similar)
- L5671 – Addition to lower extremity, below knee/above knee suspension locking mechanism (shuttle, lanyard or equal), excludes socket insert
- L5672 – Addition to lower extremity, below knee, removable medial brim suspension
- L5673 – Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism
- L5676 – Addition to lower extremity, below knee, knee joints, single axis, pair
- L5677 – Addition to lower extremity, below knee, knee joints, polycentric, pair
- L5678 – Addition to lower extremity, below knee, joint covers, pair
- L5679 – Addition to lower extremity, below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism
- L5680 – Addition to lower extremity, below knee, thigh lacer, nonmolded
- L5681 – Addition to lower extremity, below knee/above knee, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679)
- L5682 – Addition to lower extremity, below knee, thigh lacer, gluteal/ischial, molded
- L5683 – Addition to lower extremity, below knee/above knee, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679)
- L5684 – Addition to lower extremity, below knee, fork strap
- L5685 – Addition to lower extremity prosthesis, below knee, suspension/sealing sleeve, with or without valve, any material, each
- L5686 – Addition to lower extremity, below knee, back check (extension control)

L5688 – Addition to lower extremity, below knee, waist belt, webbing

L5690 – Addition to lower extremity, below knee, waist belt, padded and lined

L5692 – Addition to lower extremity, above knee, pelvic control belt, light

L5694 – Addition to lower extremity, above knee, pelvic control belt, padded and lined

L5695 – Addition to lower extremity, above knee, pelvic control, sleeve suspension, neoprene or equal, each

L5696 – Addition to lower extremity, above knee or knee disarticulation, pelvic joint

L5697 – Addition to lower extremity, above knee or knee disarticulation, pelvic band

L5698 – Addition to lower extremity, above knee or knee disarticulation, Silesian bandage

L5699 – All lower extremity prostheses, shoulder harness

L5700 – Replacement, socket, below knee, molded to patient model

L5701 – Replacement, socket, above knee/knee disarticulation, including attachment plate, molded to patient model

L5702 – Replacement, socket, hip disarticulation, including hip joint, molded to patient model

L5703 – Ankle, Symes, molded to patient model socket without solid ankle cushion heel (SACH) foot, replacement only

L5704 – Custom shaped protective cover, below knee

L5705 – Custom shaped protective cover, above knee

L5706 – Custom shaped protective cover, knee disarticulation

L5707 – Custom shaped protective cover, hip disarticulation

L5710 – Addition, exoskeletal knee-shin system, single axis, manual lock

L5711 – Addition, exoskeletal knee-shin system, single axis, manual lock, ultra-light material

L5712 – Addition, exoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee)

L5714 – Addition, exoskeletal knee-shin system, single axis, variable friction swing phase control

L5716 – Addition, exoskeletal knee-shin system, polycentric, mechanical stance phase lock

L5718 – Addition, exoskeletal knee-shin system, polycentric, friction swing and stance phase control

L5722 – Addition, exoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control

L5724 – Addition, exoskeletal knee-shin system, single axis, fluid swing phase control

L5726 – Addition, exoskeletal knee-shin system, single axis, external joints, fluid swing phase control

L5728 – Addition, exoskeletal knee-shin system, single axis, fluid swing and stance phase control

L5780 – Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra pneumatic swing phase control

L5781 – Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system

L5782 – Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system, heavy duty

L5785 – Addition, exoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal)

L5790 – Addition, exoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal)

L5795 – Addition, exoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal)

L5810 – Addition, endoskeletal knee-shin system, single axis, manual lock

L5811 – Addition, endoskeletal knee-shin system, single axis, manual lock, ultra-light material

L5812 – Addition, endoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee)

- L5814 – Addition, endoskeletal knee-shin system, polycentric, hydraulic swing phase control, mechanical stance phase lock
- L5816 – Addition, endoskeletal knee-shin system, polycentric, mechanical stance phase lock
- L5818 – Addition, endoskeletal knee-shin system, polycentric, friction swing and stance phase control
- L5822 – Addition, endoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control
- L5824 – Addition, endoskeletal knee-shin system, single axis, fluid swing phase control
- L5826 – Addition, endoskeletal knee-shin system, single axis, hydraulic swing phase control, with miniature high activity frame
- L5828 – Addition, endoskeletal knee-shin system, single axis, fluid swing and stance phase control
- L5830 – Addition, endoskeletal knee-shin system, single axis, pneumatic/swing phase control
- L5840 – Addition, endoskeletal knee-shin system, 4 bar linkage or multiaxial, pneumatic swing phase control
- L5845 – Addition, endoskeletal knee-shin system, stance flexion feature, adjustable
- L5848 – Addition to endoskeletal, knee-shin system, fluid stance extension, dampening feature, with or without adjustability
- L5850 – Addition, endoskeletal system, above knee or hip disarticulation, knee extension assist
- L5855 – Addition, endoskeletal system, hip disarticulation, mechanical hip extension assist
- L5856 – Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type
- L5857 – Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type
- L5858 – Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type
- L5910 – Addition, endoskeletal system, below knee, alignable system
- L5920 – Addition, endoskeletal system, above knee or hip disarticulation, alignable system
- L5925 – Addition, endoskeletal system, above knee, knee disarticulation or hip disarticulation, manual lock
- L5930 – Addition, endoskeletal system, high activity knee control frame
- L5940 – Addition, endoskeletal system, below knee, ultra-light material (titanium, carbon fiber or equal)
- L5950 – Addition, endoskeletal system, above knee, ultra-light material (titanium, carbon fiber or equal)
- L5960 – Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal)
- L5962 – Addition, endoskeletal system, below knee, flexible protective outer surface covering system
- L5964 – Addition, endoskeletal system, above knee, flexible protective outer surface covering system
- L5966 – Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system
- L5968 – Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature
- L5970 – All lower extremity prostheses, foot, external keel, SACH foot
- L5971 – All lower extremity prosthesis, solid ankle cushion heel (SACH) foot, replacement only
- L5972 – All lower extremity prostheses, flexible keel foot (Safe, Sten, Bock Dynamic or equal)
- L5974 – All lower extremity prostheses, foot, single axis ankle/foot
- L5975 – All lower extremity prosthesis, combination single axis ankle and flexible keel foot
- L5976 – All lower extremity prostheses, energy storing foot (Seattle, Carbon Copy II or equal)
- L5978 – All lower extremity prostheses, foot, multiaxial ankle/foot

- L5979 – All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system
- L5980 – All lower extremity prostheses, flex-foot system
- L5981 – All lower extremity prostheses, flex-walk system or equal
- L5982 – All exoskeletal lower extremity prostheses, axial rotation unit
- L5984 – All endoskeletal lower extremity prosthesis, axial rotation unit, with or without adjustability
- L5985 – All endoskeletal lower extremity prostheses, dynamic prosthetic pylon
- L5986 – All lower extremity prostheses, multi-axial rotation unit (“MCP” or equal)
- L5987 – All lower extremity prosthesis, shank foot system with vertical loading pylon
- L5988 – Addition to lower limb prosthesis, vertical shock reducing pylon feature
- L5990 – Addition to lower extremity prosthesis, user adjustable heel height
- L5993 – Addition to lower extremity prosthesis, heavy duty feature, foot only, (for patient weight > 300lbs)
- L5994 – Addition to lower extremity prosthesis, heavy duty feature, knee only, (for patient weight > 300lbs)
- L5995 – Addition to lower extremity prosthesis, heavy duty feature, other than foot or knee (for patient weight > 300 lbs)
- L5999 – Lower extremity prosthesis, not otherwise specified

## **Upper Limb Prostheses**

---

- L6000 – Partial hand, Robin-Aids, thumb remaining (or equal)
- L6010 – Partial hand, Robin-Aids, little and/or ring finger remaining (or equal)
- L6020 – Partial hand, Robin-Aids, no finger remaining (or equal)
- L6025 – Transcarpal/metacarpal or partial hand disarticulation prosthesis, external power, self-suspended, inner socket with removable forearm section, electrodes and cables, two batteries, charger, myoelectric control of terminal device
- L6050 – Wrist disarticulation, molded socket, flexible elbow hinges, triceps pad
- L6055 – Wrist disarticulation, molded socket with expandable interface, flexible elbow hinges, triceps pad
- L6100 – Below elbow, molded socket, flexible elbow hinge, triceps pad
- L6110 – Below elbow, molded socket (Muenster or Northwestern suspension types)
- L6120 – Below elbow, molded double wall split socket, step-up hinges, half cuff
- L6130 – Below elbow, molded double wall split socket, stump activated locking hinge, half cuff
- L6200 – Elbow disarticulation, molded socket, outside locking hinge, forearm
- L6205 – Elbow disarticulation, molded socket with expandable interface, outside locking hinges, forearm
- L6250 – Above elbow, molded double wall socket, internal locking elbow, forearm
- L6300 – Shoulder disarticulation, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm
- L6310 – Shoulder disarticulation, passive restoration (complete prosthesis)
- L6320 – Shoulder disarticulation, passive restoration (shoulder cap only)
- L6350 – Interscapular thoracic, molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm
- L6360 – Interscapular thoracic, passive restoration (complete prosthesis)
- L6370 – Interscapular thoracic, passive restoration (shoulder cap only)
- L6380 – Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment, and suspension of components, and one cast change, wrist disarticulation or below elbow

- L6382 – Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment, and suspension of components, and one cast change, elbow disarticulation or above elbow
- L6384 – Immediate post surgical or early fitting, application of initial rigid dressing, including fitting, alignment, and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic
- L6386 – Immediate post surgical or early fitting, each additional cast change and realignment
- L6388 – Immediate post surgical or early fitting, application of rigid dressing only
- L6400 – Below elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping
- L6450 – Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping
- L6500 – Above elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping
- L6550 – Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping
- L6570 – Interscapular thoracic, molded socket, endoskeletal system, including soft prosthetic tissue shaping
- L6580 – Preparatory, wrist disarticulation or below elbow, single wall plastic socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, Bowden cable control, USMC or equal pylon, no cover, molded to patient model
- L6582 – Preparatory, wrist disarticulation or below elbow, single wall socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, Bowden cable control, USMC or equal pylon, no cover, direct formed
- L6584 – Preparatory, elbow disarticulation or above elbow, single wall plastic socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, USMC or equal pylon, no cover, molded to patient model
- L6586 – Preparatory, elbow disarticulation or above elbow, single wall socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, USMC or equal pylon, no cover, direct formed
- L6588 – Preparatory, shoulder disarticulation or interscapular thoracic, single wall plastic socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, USMC or equal pylon, no cover, molded to patient model
- L6590 – Preparatory, shoulder disarticulation or interscapular thoracic, single wall socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, USMC or equal pylon, no cover, direct formed
- L6600 – Upper extremity additions, polycentric hinge, pair
- L6605 – Upper extremity additions, single pivot hinge, pair
- L6610 – Upper extremity additions, flexible metal hinge, pair
- L6611 – Upper extremity addition, external powered, additional switch, any type
- L6615 – Upper extremity addition, disconnect locking wrist unit
- L6616 – Upper extremity addition, additional disconnect insert for locking wrist unit, each
- L6620 – Upper extremity addition, flexion/extension wrist unit, with or without friction
- L6621 – Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external powered terminal devices
- L6623 – Upper extremity addition, spring assisted rotational wrist unit with latch release
- L6624 – Upper extremity addition, flexion/extension and rotation wrist unit
- L6625 – Upper extremity addition, rotation wrist unit with cable lock
- L6628 – Upper extremity addition, quick disconnect hook adapter, Otto Bock or equal
- L6629 – Upper extremity addition, quick disconnect lamination collar with coupling piece, Otto Bock or equal

L6630 – Upper extremity addition, stainless steel, any wrist  
 L6632 – Upper extremity addition, latex suspension sleeve, each  
 L6635 – Upper extremity addition, lift assist for elbow  
 L6637 – Upper extremity addition, nudge control elbow lock  
 L6638 – Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow  
 L6639 – Upper extremity addition, heavy duty feature, any elbow  
 L6640 – Upper extremity additions, shoulder abduction joint, pair  
 L6641 – Upper extremity addition, excursion amplifier, pulley type  
 L6642 – Upper extremity addition, excursion amplifier, lever type  
 L6645 – Upper extremity addition, shoulder flexion-abduction joint, each  
 L6646 – Upper extremity addition, shoulder joint, multi-positional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system  
 L6647 – Upper extremity addition, shoulder lock mechanism, body powered actuator  
 L6648 – Upper extremity addition, shoulder lock mechanism, external powered actuator  
 L6650 – Upper extremity addition, shoulder universal joint, each  
 L6655 – Upper extremity addition, standard control cable, extra  
 L6660 – Upper extremity addition, heavy duty control cable  
 L6665 – Upper extremity addition, Teflon, or equal, cable lining  
 L6670 – Upper extremity addition, hook to hand, cable adapter  
 L6672 – Upper extremity addition, harness, chest or shoulder, saddle type  
 L6675 – Upper extremity addition, harness, (E.G., figure of eight type), single cable design  
 L6676 – Upper extremity addition, harness, (E.G., figure of eight type), dual cable design  
 L6677 – Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow  
 L6680 – Upper extremity addition, test socket, wrist disarticulation or below elbow  
 L6682 – Upper extremity addition, test socket, elbow disarticulation or above elbow  
 L6684 – Upper extremity addition, test socket, shoulder disarticulation or interscapular thoracic  
 L6686 – Upper extremity addition, suction socket  
 L6687 – Upper extremity addition, frame type socket, below elbow or wrist disarticulation  
 L6688 – Upper extremity addition, frame type socket, above elbow or elbow disarticulation  
 L6689 – Upper extremity addition, frame type socket, shoulder disarticulation  
 L6690 – Upper extremity addition, frame type socket, interscapular thoracic  
 L6691 – Upper extremity addition, removable insert, each  
 L6692 – Upper extremity addition, silicone gel insert or equal, each  
 L6693 – Upper extremity addition, locking elbow, forearm counterbalance  
 L6694 – Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism  
 L6695 – Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism  
 L6696 – Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695)  
 L6697 – Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695)



L6698 – Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert

## **Terminal Devices**

---

L6703 – Terminal device, passive hand/mitt, any material, any size

L6704 – Terminal device, sport/recreational/work attachment, any material, any size

L6706 – Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined

L6707 – Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined

L6708 – Terminal device, hand, mechanical, voluntary opening, any material, any size

L6709 – Terminal device, hand, mechanical, voluntary closing, any material, any size

L6805 – Addition to terminal device, modifier wrist unit

L6810 – Addition to terminal device, precision pinch device

L6881 – Automatic grasp feature, addition to upper limb electric prosthetic terminal device

L6882 – Microprocessor control feature, addition to upper limb prosthetic terminal device

L6883 – Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power

L6884 – Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power

L6885 – Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power

L6890 – Addition to upper extremity prosthesis, glove for terminal device, any material, prefabricated, includes fitting and adjustment

L6895 – Addition to upper extremity prosthesis, glove for terminal device, any material, custom fabricated

L6900 – Hand restoration (casts, shading and measurements included), partial hand, with glove, thumb or one finger remaining

L6905 – Hand restoration (casts, shading and measurements included), partial hand, with glove, multiple fingers remaining

L6910 – Hand restoration (casts, shading and measurements included), partial hand, with glove, no fingers remaining

L6915 – Hand restoration (casts, shading and measurements included), replacement glove for above

L7611 – Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined, pediatric

L7612 – Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined, pediatric

L7613 – Terminal device, hand, mechanical, voluntary opening, any material, any size, pediatric

L7614 – Terminal device, hand, mechanical, voluntary closing, any material, any size, pediatric

L7621 – Terminal device, hook or hand, heavy duty, mechanical, voluntary opening, any material, any size, lined or unlined

L7622 – Terminal device, hook or hand, heavy duty, mechanical, voluntary closing, any material, any size, lined or unlined

## **External Power**

---

L6920 – Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device

L6925 – Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device

L6930 – Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device

L6935 – Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device

L6940 – Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device

L6945 – Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device

L6950 – Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device

L6955 – Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device

L6960 – Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device

L6965 – Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device

L6970 – Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device

L6975 – Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device

L7007 – Electric hand, switch or myoelectric controlled, adult

L7008 – Electric hand, switch or myoelectric controlled, pediatric

L7009 – Electric hook, switch or myoelectric controlled, adult

L7040 – Prehensile actuator, switch controlled

L7045 – Electronic hook, switch or myoelectric controlled, pediatric

L7170 – Electronic elbow, Hosmer or equal, switch controlled

L7180 – Electronic elbow, microprocessor sequential control of elbow and terminal device

L7181 – Electronic elbow, microprocessor simultaneous control of elbow and terminal device

L7185 – Electronic elbow, adolescent, Variety Village or equal, switch controlled

L7186 – Electronic elbow, child, Variety Village or equal, switch controlled

L7190 – Electronic elbow, adolescent, Variety Village or equal, myoelectronically controlled

L7191 – Electronic elbow, child, Variety Village or equal, myoelectronically controlled

L7260 – Electronic wrist rotator, Otto Bock or equal

L7261 – Electronic wrist rotator, for Utah arm

L7266 – Servo control, Steeper or equal

L7272 – Analogue control, UNB or equal

L7274 – Proportional control, 6-12 volt, Liberty, Utah or equal

L7360 – Six volt battery, each

L7362 – Battery charger, six volt, each

- L7364 – Twelve volt battery, each
- L7366 – Battery charger, twelve volt, each
- L7367 – Lithium ion battery, replacement
- L7368 – Lithium ion battery, charger

### **Upper Limb Material Additions**

---

- L7400 – Addition to upper extremity prosthesis, below elbow/wrist disarticulation, ultralight material (titanium, carbon fiber, or equal)
- L7401 – Addition to upper extremity prosthesis, above elbow disarticulation, ultralight material (titanium, carbon fiber, or equal)
- L7402 – Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, ultralight material (titanium, carbon fiber, or equal)
- L7403 – Addition to upper extremity prosthesis, below elbow/wrist disarticulation, acrylic material
- L7404 – Addition to upper extremity prosthesis, above elbow disarticulation, acrylic material
- L7405 – Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material
- L7499 – Upper extremity prosthesis, not otherwise specified

### **Repair/Ancillary**

---

- L7500 – Repair of prosthetic device, hourly rate
- L7510 – Repair of prosthetic device, repair or replace minor parts
- L7520 – Repair of prosthetic device, labor component, per 15 minutes
- L7600 – Prosthetic donning sleeve, any material, each

### **Breast Prostheses**

---

- L8000 – Breast prosthesis, mastectomy bra
- L8001 – Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, unilateral
- L8002 – Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral
- L8010 – Breast prosthesis, mastectomy sleeve
- L8015 – External breast prosthesis garment, with mastectomy form, post mastectomy
- L8020 – Breast prosthesis, mastectomy form
- L8030 – Breast prosthesis, silicone or equal
- L8035 – Custom breast prosthesis, post mastectomy, molded to patient model
- L8039 – Breast prosthesis, not otherwise specified
- A4280 – Adhesive skin support attachment for use with external breast prosthesis, each

### **Trusses**

---

- L8300 – Truss, single with standard pad
- L8310 – Truss, double with standard pads
- L8320 – Truss, addition to standard pad, water pad
- L8330 – Truss, addition to standard pad, scrotal pad

### **Prosthetic Socks**

---

- L8400 – Prosthetic sheath, below knee, each
- L8410 – Prosthetic sheath, above knee, each
- L8415 – Prosthetic sheath, upper limb, each
- L8417 – Prosthetic sheath/sock, including a gel cushion layer, below knee or above knee, each
- L8420 – Prosthetic sock, multiple ply, below knee, each
- L8430 – Prosthetic sock, multiple ply, above knee, each
- L8435 – Prosthetic sock, multiple ply, upper limb, each

- L8440 – Prosthetic shrinker, below knee, each
- L8460 – Prosthetic shrinker, above knee, each
- L8465 – Prosthetic shrinker, upper limb, each
- L8470 – Prosthetic sock, single ply, fitting, below knee, each
- L8480 – Prosthetic sock, single ply, fitting, above knee, each
- L8485 – Prosthetic sock, single ply, fitting, upper limb, each
- L8499 – Unlisted procedure for miscellaneous prosthetic services

**Other**

---

- L9900 – Orthotic and prosthetic supply, accessory, and/or service component of another HCPCS “L” code